

ALYSSA

6642

SIZE

66" L x 42"W x 20"D

WATER CAPACITY

55 Gallons

WEIGHT

80-120 Pounds

INSTALLATION



Drop-in

BACK SLOPE

23°

MATERIAL

Acrylic

**MODEL**

ALY6642ATO	Tub Only
ALY6642AWP	Whirlpool (6)
ALY6642ATA	Thermal Air
ALY6642ACO	Combo System

COLORS

Standard	White Biscuit Bone
Premium Colors	Black Sterling Silver

FINISH

Matte Finish	MAT (must specify if desired)
Polished Finish	STANDARD

BACK MASSEUSE SYSTEMS

System I - Manual Control (WP/CO)	BAC.MA1-XXX
System II - Electronic Control (WP/CO)	BAC.MA2-XXX
System III - Electronic Control (TA)	BAC.MA3-XXX

COLD PLUNGE | [order form](#)

CLD.PL

EXPORT CRATE

FRT.EXPCRT

EXTRA HIGH DENSITY

HI.DEN

GRAB BARS (Pair) Refer to price book for all available finishes

Standard Grab Bars	GRA.BAR-XXX
Universal Grab Bars	UGB.BAR-XXX



Headquarters
29132 Avenue Paine
Valencia, CA 91355

Manufacturing Facility
385 Highway 155 South
McDonough, GA 30253

Technical Support
support@hydrosystem.com

Orders Department
orders@hydrosystem.com

General Information
info@hydrosystem.com

Phone: 661-775-0686
Website: hydrosystem.com

CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



ADA Compliant

All specifications and options subject to change without notice
please contact a hydro systems representative for more information.

MADE IN THE U.S.A.

ALYSSA

6642

DESCRIPTION	
JETS	
Installed per jet price for extra jets added to standard system price. All metallic finishes come with colored eyeball.	
Additional Standard or Swirling Jet	JET.STD-XX JET.SWI-XX
Color Trim Group 1 - PC or PB Group 2 - AB, BB, SB, BC, SC, PN, SN, BN Group 3 - PG, BG, SG	
Swirling Jet Upgrade (Per jet substitution price added to standard system price)	JUP.SWI-XX
Micro Therapy Jet BIS, BLA, BON, SIL, WHI	MTJ.XXX
Custom Jet Locations (Must include drawing of locations)	69.116-CUS.JET
JET PLATING Clear / Brass / Chrome. Trim kit covers jet escutcheons, suction, and electronic softtouch pad. Per jet substitution price added to standard system price. All metallic finishes come with colored eyeball.	
Group 1 (PC or PB)	
6 Jets	PLA.06-XX
8 Jets	PLA.08-XX
10 Jets	PLA.10-XX
Group 2 (AB, BB, SB, BC, SC, PN, SN, BN)	
6 Jets	PLA.06-XX
8 Jets	PLA.08-XX
10 Jets	PLA.10-XX
Group 2 (PG, BG)	
6 Jets	PLA.06-XX
8 Jets	PLA.08-XX
10 Jets	PLA.10-XX
LED TEMP. READOUT KEYPAD Upgrade only, must have a keypad controlled system to purchase.	LED.UPG
LIGHTING LED Bath Light Chromatherapy System	LIG.LED
LOW WATER PROTECTION Includes 30 minute timer (110V)	LOW.WAT-110
NECK MASSEUSE JET PILLOW Available in black, bone and white.	PIL.NEC-XX

DESCRIPTION	
PADDLED HEADREST PILLOW	41.128
Black only	
PUMPS Custom Pump Locations	69.116-CUS.PMP
REMOTE CONTROL Must must have system to purchase	REM.CON
WASTE & OVERFLOW	WOW.XX
Cable W/O No Charge (WHI, BIS, PC, PB, PN, BC, BB, BN, SC, SB, SN, ORB, PE)	
Cable W/O - Gold Finish Upgrade (PG, BG)	
INTEGRAL W/O (Std. round)	IWO.XX
Waste and overflow manufactured as part of the bath. Comes standard as a round overflow cover. Drain will be a	
LINEAR INTEGRAL W/O (Std. round)	LWO-XXX
Waste and overflow manufactured as part of the bath. Drain will be a tip-toe style and drain outlet will be a direct drain.	

ALYSSA

6642



STANDARD ACRYLIC COLORS



WHITE BISCUIT BONE

PREMIUM ACRYLIC COLORS



BLACK STERLING SILVER

WELLNESS OPTIONS

**Cold Plunge**

Revitalizing cold hydrotherapy into a traditional tub

**Thermal Air**


Tiny bubbles into the bathwater and offers untold relaxing benefits, similar to Swedish massage

**Hydro Indulge**

A concentrated dose of oxygen-rich molecules cleanse and restore skin

**Whirlpool Massaging Jets**

Flexibility to customize jet location, quantity of jets and type of jet therapy

**Back and Neck Massuse**

Utilizes six strategically located jets enabling a "shiatsu" type massage and direct to the neck with 3 pulse settings

**Advanced UV system**

Ozone and UV light helps to disinfect the water and keep it clean

**Chromatherapy**

Digitally controlled, multicolored lighting feature LED lighting system

**Hydro Fusion**

Totally silent operation maintains ideal temperature without adding hot water constantly

**Hydro Blanket**

Radiant heat emanates through the acrylic tub surface. Choose up to 2-5 panels..

Drop In Cutout Install Dimensions

- (L)length - 66"
- (W)idth - 40"
- Finished Height - 18 3/4"

OTHER OPTIONS


Additional options can be found on our website

**Integral Waste and Overflow**

Seamless built-in protection for bathtub (included)

**Grab Bars**

Adds functionality and enhanced styling. Affords a mounting solution in virtually any position on any tub.

**Installation Tips:**

- When adding integral linear drain p-trap location is now below waste
- Adding multiple systems/options may require equipment to stick out from tub deck or be installed remotely

Headquarters
29132 Avenue Paine
Valencia, CA 91355

Manufacturing Facility
385 Highway 155 South
McDonough, GA 30253

Technical Support
support@hydrosystem.com

Orders Department
orders@hydrosystem.com

General Information
info@hydrosystem.com

Phone: 661-775-0686
Website: hydrosystem.com

CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491

All specifications and options subject to change without notice
please contact a hydro systems representative for more information.